

DECLARATION OF PERFORMANCE

T_60230_0513

ITEM NO. 60230

Declaration of performance in accordance with EU Construction Product Regulation 305/2011	
Applicable harmonised standard	EN 13964
Description as per standard	adjusting strip
Protektor product description	Justierstab für Noniusabhänger
Product area	21

Identification using product data printed onto products / packaging / documents

EN 13964 – Suspended ceiling requirements and test procedures

Protektorwerk Florenz Maisch GmbH & Co. KG
8314100

Assessment and Verification of Constancy of Performance

Performance	System	Notified body	Classification report
Reaction to fire (R2F)	Commission Decision 96/603/EC, as amended	-	-
Load bearing capacity	4	-	-
Durability	4	-	-
Tolerances and dimensions	4	-	-

Performance to be declared

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire (R2F)	A1	EN 13964
Load bearing capacity	NPD	EN 13964
Durability	B	EN 13964
Tolerances and dimensions	NPD	EN 13964

The manufacturer has carried out initial type testing (ITT) as required by Suspended ceiling requirements and test procedures. The product undergoes a factory production control (FPC) which complies with the requirements of EN 13964 - Suspended ceiling requirements and test procedures.

PROTEKTORWERK
Florenz Maisch GmbH & Co. KG
Postfach 1420, D-76554 Gaggenau
Viktoriastr. 58, D-76571 Gaggenau

Tel.: +49 7225 977 - 0
Fax: +49 7225 9 77 - 111
info@protektor.com
www.protektor.com



The performance of the product which is referred to in this performance declaration represents the performance to be declared.
The manufacturer named in this declaration of performance is solely responsible for preparing this declaration of performance



Dr. Christof Maisch | CEO, Managing Partner

Gaggenau, on 09.03.2016